

For a more complete list of drill results please see below.

Year	Drill Hole	From (m)	To (m)	Interval (m)*	Au (g/t)	Ag (g/t)
2007	AKC-1	13.0	76.7	63.7	1.54	14.52
	<i>Including</i>	16.2	18.2	2.0	13.80	117.00
	<i>Including</i>	33.0	34.0	1.0	19.95	241.00
	AKC-2	5.5	18.3	12.8	1.32	12.46
	<i>Including</i>	14.3	17.3	3.1	4.07	19.70
		24.0	35.1	11.1	0.80	13.10
	AKC-3	22.0	44.7	22.7	1.67	18.63
	<i>Including</i>	22.0	24.9	3.0	3.31	15.16
	AKC-4	32.5	66.5	34.0	0.54	7.70
		90.0	97.6	7.6	0.43	8.11
		110.5	118.0	7.5	1.30	7.62
	AKC-5	17.4	63.2	45.8	1.05	18.61
		111.3	118.5	7.3	5.07	55.58
	<i>Including</i>	112.1	114.5	2.4	14.73	162.17
		135.2	145.0	9.8	0.50	2.08
2008	ARC-101	105.0	121.0	16.0	0.66	1.61
	ARC-102	102.0	108.0	6.0	2.16	3.27
	<i>including</i>	102.0	103.0	1.0	10.95	13.90
	ARC-103	4.0	23.0	19.0	0.88	11.48
	<i>including</i>	5.0	10.0	5.0	1.17	18.22
	<i>including</i>	12.0	18.0	6.0	1.24	14.55
	ARC-104	78.0	99.0	21.0	1.34	2.02
		125.0	133.0	8.0	0.50	0.48
	ARC-105	15.0	31.0	16.0	0.55	6.96
		34.0	40.0	6.0	0.43	0.93
	ARC-106	20.0	28.0	8.0	0.85	5.73
	ARC-107	43.0	51.0	8.0	1.57	5.90
	55.0	65.0	10.0	2.00	4.46	

	<i>including</i>	55.0	57.0	2.0	6.52	12.30
	ARC-108	21.0	41.0	20.0	0.57	5.40
	ARC-109 to 111	<i>No significant intercepts</i>				
<b>2009</b>	AKC-6	0.6	10.0	9.4	0.85	13.26
		14.5	32.0	17.5	1.14	8.61
	AKC-7	2.0	10.0	8.0	0.63	11.29
		18.5	26.5	8.0	1.46	9.78
		31.0	38.0	7.0	2.67	11.72
		50.0	57.3	7.3	3.22	7.49
	AKC-8	4.0	17.0	13.0	1.07	5.77
		37.3	44.8	7.5	2.38	7.92
	AKC-9	58.5	66.3	7.8	1.31	6.89
	AKC-10	41.4	49.7	8.3	0.67	8.95
		110.3	117.5	7.3	0.49	1.52
	AKC-11	45.3	56.8	11.5	0.47	4.99
	AKC-12	53.5	70.2	16.7	0.43	4.54
	AKC-13	27.0	42.2	15.2	1.10	3.05
	AKC-14	5.0	16.5	11.5	0.39	1.48
	AKC-15	27.0	37.1	10.1	0.89	8.06
	AKC-16	32.5	44.5	12.0	0.31	2.62
	AKC-17	<i>Intervals &gt; 0.1 g/t Au total 30.8m</i>				
	AKC-18	<i>4.8 m (19-23.8m) @ 0.3 g/t Au</i>				
	AKC-19	<i>No significant intercepts</i>				
	AKC-20	<i>No significant intercepts</i>				
AKC-21	<i>Intervals &gt; 0.1 g/t Au total 18.2m</i>					
<i>*True thickness estimated at 80% to 100% of reported interval length.</i>						

<b>2010</b>	<b>Drill Hole</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)*</b>	<b>Au (g/t)</b>	<b>Ag (g/t)</b>
	AKC-22	66.5	74	7.5	0.24	1.43
		81.5	89.6	8.1	0.35	1.85
	AKC-23	98.5	106.2	7.7	1.77	3.36
	<i>including</i>	104	106.2	2.2	6.06	9.8
	AKC-24	<i>Anomalous Au-Ag occurs sporadically</i>				
	AKC-25	1.4	73.3	71.9	0.96	9.38
	<i>including</i>	17.65	21.1	3.45	4.77	98.83
	<i>including</i>	38.9	41.65	2.75	5.27	13.82
	AKC-26	2.5	48.2	45.7	0.68	5.29

	<i>including</i>	23.9	27.1	3.2	3.12	21.19
		86.25	94	7.75	0.37	3.47
	AKC-27	56	74.2	18.2	0.68	9.58
	AKC-28	103.6	117.85	14.25	0.46	1.76
	AKC-29	13.1	179.8	166.7	0.57	3.58
	<i>including</i>	19	21.2	2.2	4.08	52.19
	AKC-30	1.2	9.1	7.9	0.3	2.19
		117.5	123.6	6.1	0.43	1.35
	AKC-31	4.2	27.1	22.9	0.75	6.99
	<i>including</i>	12	18.7	6.7	1.24	11.35
	AKC-32	20.85	48.8	27.95	0.21	1.18
	AKC-33	20.2	81.35	61.15	0.42	1.72
	<i>including</i>	51.75	53.9	2.15	3.11	11.6
	AKC-34	21.3	33.05	11.75	0.3	3.16
		54.8	67.3	12.5	2.54	3.86
	<i>including</i>	64.4	65.7	1.3	18.5	26.1
		75.8	105.1	29.3	0.59	2.03
	<i>including</i>	82.6	83.2	0.6	7.94	19.75
*Notes: 2010 Intervals reported at a nominal 0.2 g/t Au equivalent cutoff and min length of 7 m. True thickness estimated at 60-90% of reported interval length, except for AKC-29 (~40%).						

	<b>Drill Hole</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)*</b>	<b>Au (g/t)</b>	<b>Ag (g/t)</b>
<b>2010 Arap Tepe</b>	AKC-35	8.3	34.8	26.5	0.94	1.21
	<i>including</i>	15.1	20.2	5.1	3.77	1.61
	AKC-36	4	66.1	62.1	2.26	4.49
	<i>including</i>	18	44.2	26.2	4.69	7.99
	<i>also</i>	25.2	28.8	3.6	21.23	22.71
	AKC-37	5	55.4	50.4	3.39	5.28
	<i>including</i>	13.7	38.35	24.65	5.99	6.18
	<i>also</i>	31	34	3	33.53	28.92
	AKC-38	2	57	55	1.29	3.07
	<i>including</i>	12.6	16.6	4	6.11	4
	<i>including</i>	31.7	37.9	6.2	3.28	5.1
	AKC-39	4	60.5	56.5	0.85	2.08
	<i>including</i>	21.5	22.8	1.3	6.92	2.41
	<i>including</i>	42.6	46.9	4.3	3.37	4.79
*Notes: Intervals reported at a nominal 0.2 g/t Au equivalent cutoff and minimum length of 7 m. True thickness estimated at 60-72% of reported interval length						

	Drill Hole	From	To	Interval	Au	Ag
		(m)	(m)	(m)*	(g/t)	(g/t)
2011	AKC-40	7.6	62.6	55	0.67	2.44
	including	14.9	17.7	2.8	1.68	5.61
	including	44.5	48.3	3.8	1.8	2.07
	AKC-41	1.5	15.6	14.1	0.36	2.19
	AKC-42	Alteration & anomalous geochem at end of hole.				
	AKC-43	15.6	63.9	48.3	0.42 0.44	1.58
	AKC-44	15.3	68.1	52.8	0.27	1.85
	AKC-45	26.6	70.9	44.3	0.72	6.12
	including	43.1	50	6.9	1.95	13.58
	AKC-45B	24.6	56.8	32.2	0.46	3.55
	including	46.2	48.5	2.3	1.96	8.08
	AKC-46	Anomalous Au mineralization.				
	AKC-47	13	19	6	0.93	6.92
		52	64	12	0.4	3.72
		100	110.5	10.5	0.23	1.65
	AKC-48	0	6	6	0.83	14.23
		30.6	46	15.4	1.96	15.95
	including	31.5	38.2	6.7	2.43	30.5
	including	43	44.5	1.5	7.71	18.55
		58.2	79.4	21.2	0.8	2.67
	AKC-49	0.3	3.5	3.2	0.81	24.87
		35.8	55.3	19.5	0.45	7.5
		67.3	85.1	17.8	0.55	4.08
		112.2	145	32.8	0.68	1.58
	including	118.1	123	4.9	2.39	3.62
	including	141.6	142.6	1	6.55	9.32
		204.9	225.1	20.2	0.4.	11.55
	AKC-50	0.0	7.5	7.5	1.19	20.07
	including	0.0	3.0	3.0	2.90	48.83
		16.7	24.0	7.3	1.02	18.35
	including	19.5	21.2	1.7	3.92	61.50
		43.8	51.5	7.7	1.33	17.76
	including	49.8	51.5	1.7	5.28	72.10
		64.0	122.6	58.6	0.39	3.88
	AKC-51	0.0	30.7	30.7	0.31	2.40
	including	22.9	23.6	0.7	2.99	19.75
		80.4	116.9	36.5	0.51	45.76
	including	107.4	109.4	2.0	1.99	536.32
	AKC-52	0.0	22.5	22.5	1.35	13.87
	including	0.0	2.9	2.9	3.39	60.92

	<i>including</i>	11.4	14.0	2.6	6.78	30.61
	AKC-53	<i>Anomalous mineralization intersected</i>				
	AKC-54	5.8	12.8	7.0	0.52	5.35
		44.9	52.1	7.2	0.52	0.41
	AKC-55	15.1	23.4	8.3	1.09	5.03
	AKC-56	17.3	119.5	102.2	0.57	5.50
	<i>including</i>	25.5	53.7	28.2	1.17	11.44
	AKC-57	23.1	81.0	57.9	0.63	8.77
	<i>including</i>	56.1	69.0	12.9	1.02	21.03
	AKC-58	50.8	109.1	58.3	1.35	13.93
	<i>including</i>	58.7	70.1	11.4	4.90	45.75
	AKC-59	8.0	22.2	14.2	4.61	2.22
	<i>including</i>	14.9	20.7	5.8	10.00	4.16
		53.9	121.8	67.9	1.35	16.08
	<i>including</i>	53.9	71.9	18.0	2.86	32.97
	<i>including</i>	109.8	111.8	2.0	9.56	64.70

*Notes: Intervals reported at a nominal 0.2 g/t Au cutoff and minimum length of 7 m. \*True thickness estimated at 60-90% of reported interval length*