

Sisorta 2004-2007 Drill Program

Drill Hole	From (m)	To (m)	Interval (m)	Au (g/t)	Comments
Sis-1	0	54.5	54.5	0.468	West Zone. 218.95 m total depth. Oriented at 260°/-50°.
Sis-2	0	52.4	52.4	1.584	East Zone. 101.8 m total depth. Oriented at 010°/-50°.
<i>Including</i>	10.2	29.7	19.5	2.644	
Sis-3	0	36.1	36.1	1.138	East Zone. 139.25 m total depth. Oriented at 240°/-45°.
Sis-4	24	66.6	39.4	0.734	West zone. 66.6 m total depth. Oriented at 205°/-50°.
<i>Including</i>	24	31.9	7.9	1.407	
Sis-5	0	30.4	30.4	3.825	East Zone. 159.45 m total depth. Oriented at 240°/-45°.
<i>Including</i>	0	22	22	5.004	
Sis-6	0	23.6	23.6	2.061	East Zone. 135.3 m total depth. Oriented at 120°/-65°.
<i>Including</i>	0	12.2	12.2	3.548	
	34.1	76.1	42	0.757	
<i>Including</i>	57.2	68.3	11.1	1.53	
	85.4	118.7	33.3	0.651	
Sis-7	21.6	99.4	76.9	0.777	West Zone. 111.3 m total depth. Oriented at 202°/-65°.
<i>Including</i>	82.3	90.3	8	1.434	
Sis-8	1.2	25.7	24.5	0.935	East Zone. 32.4 m total depth. Oriented at 240°/-50°.
<i>Including</i>	5.7	13.2	7.5	1.648	
Sis-9	22.7m (135.7-158.4) @ 384 ppm Cu				East Zone extension. 277.8 m total depth. Oriented at 230°/-45°. Porphyry style - copper up to 0.11 % with anomalous molybdenum (up to 276 ppm).
	37.4m (203.6-241) @ 294 ppm Cu				Porphyry style - copper up to 0.20 %
Sis-10	2.6	36.3	33.7	0.469	West Zone. 60.75 m total depth. Oriented at 230°/-43°. Oxide gold mineralization.
Sis-11	0	10.1	10.1	0.344	West Zone. 230 m total depth. Oriented at 230°/-55°. Oxide gold mineralization.
	17.1	41.1	24	0.48	
	56.6	64.6	8	0.492	
Sis-12	15.4m (32.4-47.8) @ 436 ppm Cu				230 m total depth. Oriented at 230°/-45°. Porphyry style - copper up to 0.28%
Sis-13	0	34.7	34.7	1.619	East Zone. 154.90 m total depth. Oriented at 265° /-75°.
Sis-14	0	28	28	0.455	East Zone. 124.50 m total depth. Oriented at 270°/-75°. Also 6.10 m @ 1.98% Cu (101.6-107.7 m), and 3.05m @ 252 ppm Mo (102.75-105.8 m).
<i>Including</i>	23.2	25.7	2.5	1.18	
	70.1	82.7	12.6	0.566	
<i>Including</i>	71.3	75.1	3.8	1.11	
Sis-15	0	62.1	62.1	0.551	East Zone. 106.00 m total depth. Oriented at 330°/-70°.
Sis-16	0	37.7	37.7	0.661	West Zone. 269.15 m total depth. Oriented at 170°/-60°. Also 7.5 m @ 92 ppm Mo (134.6-142.1 m) and 26.8 m @ 91 ppm Mo (146.7 to 173.5 m).
<i>Including</i>	0	1.5	1.5	5.58	
	106.85	146.7	39.85	0.469	
	194.5	204.3	9.8	0.632	
Sis-17	44.8	88.6	43.8	0.53	West Zone. 197.30 m total depth. Oriented at 140°/-65°. Also 47.55 m @ 127 ppm Mo (131.3-178.85 m).
<i>Including</i>	52	55	3	1.132	
	114.8	150	35.2	3.6	

Including	118.5	128.6	10.1	6.04
Including	148.6	150	1.4	32.1
Sis-18	1.95m (76.65-78.60) @ 0.24% Cu			East Zone. 104 m total depth. Oriented at 90° azimuth and -75° inclination.

Sisorta 2008-2009 Drill Program

Drill Hole	From (m)	To (m)	Interval (m)	Au (g/t)	Mineralization	Comments
Sis-19 <i>including</i>	41.3	64.5	23.2	0.754	Sulfide Zone	East Zone. 125.0 m total depth. Oriented at 270° azimuth and -60° inclination. Also 23.2 m @ 0.2% Cu (41.3-64.5 m), 2.10 m @ 0.71% Cu (122.9-125.0 m) 3.8 m (47.5-51.3 m) solution cavity
	58.4	62.0	3.6	1.158	Sulfide Zone	
	70.5	92.2	21.7	0.432	Sulfide Zone	
Sis-20	33.0	44.5	11.5	0.424	Sulfide Zone	East Zone. 125.0 m total depth. Oriented at 270° azimuth and -60° inclination. Also 18.9 m @ 0.27% Cu (27.1-46.0 m), 11.5 m @ 0.29% Cu (33.0-44.5 m) and 8.4 m @ 0.25% Cu (102.0-110.4 m)
Sis-21 <i>including</i>	1.5	37.3	35.8	0.650	Sulfide >> Oxide Zone	East Zone. Also 30.0 m @ 0.57% Cu (8.3-38.3 m) and 17.1 m @ 0.73% Cu (18.2-35.3 m)
	19.7	25.8	6.1	1.342	Sulfide Zone	
Sis-22	No Significant Intervals					East Zone. 113.9 m total depth. Oriented at 270° azimuth and -60° inclination 12.3 m (86.5-98.8 m) 2.37% Cu and 8.8 m (87.5-96.3 m) 3.14% Cu
Sis-23 <i>including</i>	42.1	63.0	20.9	0.645	Oxide zone	West Zone. 197.5 m total depth. Oriented at 270° azimuth and -60° inclination. Au value < 0.3 g/t @ 5.1 m (47.7-52.8 m)
	42.1	47.7	5.6	1.470	Oxide zone	
Sis-24	42.4	73.6	31.2	0.357	Oxide Zone	West Zone. 211.5 m total depth. Oriented at 90° azimuth and -60° inclination. Au value < 0.3 g/t @ 4.7 m (59.6-64.3 m)
Sis-25	97.3	109.0	11.7	0.377	Sulfide Zone	
Sis-26	83.3	98.1	14.8	0.395	Oxide Zone	
Sis-27	No Significant Intervals					14.8m @ 0.17% Cu (10.6-25.4 m)
Sis-28	No Significant Intervals					East Zone. 125.8 m total depth. Oriented at 270° azimuth and -60° inclination
Sis-29	178.1	192.4	14.3	0.358	Oxide Zone	West Zone. 279.0 m total depth. Oriented at 90° azimuth and -60° inclination Also 9.5m @137 ppm Mo (176.7-186.2 m),
	268.0	276.0	8.0	0.633	Oxide Zone	
Sis-30	No Significant Intervals					East Zone. 149.5 m total depth. Oriented at 270° azimuth and -60° inclination. Also 12.9 m @12 ppm Ag, 0.29%Cu (106.3-119.2 m),17.1 m @0.16% Pb, 0.21%Zn (109.8-126.9 m) and 2.9 m @0.93% Cu (144.0-146.9 m),
Sis-31	No Significant Intervals					West Zone. 177.8 m total depth. Oriented at 270° azimuth and -60° inclination. Also 26.4 m @102 ppm Mo

						(128.7-155.1m) and 16.50m @0.16% Cu (158.0-174.5 m)	
Sis-32	24.7	43.0	18.3	0.544	Oxide Zone	West Zone. 123.5 m total depth. Oriented at 270° azimuth and -60° inclination. Also 19.7 m @0.20% Cu (93.1-112.8 m),	
<i>including</i>	33,7	40,2	6.5	1.008	Oxide Zone		
<i>including</i>	35.3	37.7	2.4	1.391	Oxide Zone		
Sis-33	No Significant Intervals						12.5 m @ 0.60% Cu (79.3-91.8 m)
Sis-34	147.8	156.0	8.2	0.656	Oxide Zone	West Zone. 248.0 m total depth. Oriented at 90° azimuth and -60° inclination. Also 8.10 m @0.14% Cu (201.9-210 m),	
Sis-35	No Significant Intervals						East Zone. 197.0m total depth. Oriented at 270° azimuth and -60° inclination
Sis-36	No Significant Intervals						West Zone. 138.6 m total depth. Oriented at 90° azimuth and -60° inclination. Also 15.2 m @170 ppm Mo (114.2-129.4 m),
Sis-37	No Significant Intervals						East Zone. 134.0 m total depth. Oriented at 270° azimuth and -60° inclination. Also 2.40 m @0.15% Cu (61.6-64.0m), 10.0m @0.14% Cu (88.0-98.0 m) and 3.90 m @0.17% Cu (113.8-117.7 m)
Sis-38	9.0	35.0	14.5	0.625	Oxide Zone	West Zone. 172.5 m total depth. Oriented at 0° azimuth and -60° inclination. Au value < 0.3 g/t @ 2.00 m (26.00-28.00 m). Also 15.5 m @0.29%Cu (130.6-146.1 m), 46.5 m @183 ppm Mo (98.4-144.9 m) and 6.80 m @129 ppm Mo (150.1-156.9 m)	
	39.8	49.2	9.4	0.596	Oxide Zone		
Sis-39	0.0	59.0	59.0	0.706	Oxide Zone	East Zone. 109.5 m total depth. Oriented at 120° azimuth and -60° inclination Au value < 0.3 g/t @ 3.6 m (33.1-36.8 m)	
<i>including</i>	42.5	58.0	15.5	1.110	Oxide Zone	1.0 m (47.4-48.4 m) and 0.4 m(61.5-61.9 m) solution cavity. Also 11.7 m @0.17% Cu (95.9-107.6 m) and 7.5 m @26 ppm Ag (44.5-52.0 m)	
Sis-40	2.0	44.5	42.5	1.506	Ox>>Sulf Zone	East Zone. 136.0 m total depth. Oriented at 0° azimuth and -90° inclination. 1.7 m (9.5-11.2m) solution cavity Also 3.6 m @0.37% Cu (101.5-105.1 m).	
<i>including</i>	5.0	14.5	9.5	4.130	Oxide Zone		
	66.1	89.0	22.9	0.752	Sulfide Zone		
<i>including</i>	71.5	74.5	3.0	2.435	Sulfide Zone		
	115.6	124.0	8.4	0.731	Sulfide Zone		
Sis-41	No Significant Intervals						Dikdag (north Zone). 150.2 m total depth. Oriented at 45° azimuth and -60° inclination.
Sis-42	28.7	39.1	10.4	0.837	Oxide Zone	West Zone. 187.5 m total depth. Oriented at 225° azimuth and -55° inclination.	
<i>including</i>	28.7	32.6	3.9	1.504	Oxide Zone		
	55.6	64.9	9.3	0.584	Oxide Zone		
<i>including</i>	56.9	59.4	2.5	1.268	Oxide Zone		
	80.8	95.9	15.1	1.159	Oxide Zone		
<i>including</i>	89.2	95.9	6.7	2.103	Oxide Zone		
	110.5	117.5	7.0	0.4	Sulfide Zone		
	153.4	160.6	7.2	0.335	Sulfide Zone		
Sis-43	18.1	26.0	7.9	0.814	Oxide Zone	East Zone. 70.0 m total depth. Oriented	

						at 90° azimuth and -80° inclination. Also 17.5 m @0.15% Cu (62.5 -70.0 m)
Sis-44	0	12.2	12.2	0.446	Ox>>Sulf Zone	East Zone. 86.6 m total depth. Oriented at 90° azimuth and -60° inclination. Au value < 0.3 g/t @ 2.7 m (57.7-60.0 m and 64.4-64.8 m)
	44.9	77.9	33.0	0.553	Oxide Zone	
Sis-45 <i>including</i>	18.0	62.5	44.5	0.553	Oxide Zone	East Zone. Au value < 0.3 g/t @ 4.0 m (30.5 m-34.5 m)
	45.5	55.9	10.4	1.14	Oxide Zone	
Sis-46	No Significant Intervals					East Zone. 90.0 m total depth. Oriented at 270° azimuth and -60° inclination. Also 6.1 m @0.32% Cu (43.6-49.7 m)
Sis-47	169	177.6	8.6	0.405	Sulfide Zone	Dikdag (north Zone). 242.4 m total depth. Oriented at 0° azimuth and -60° inclination. Also 21.8 m @177ppm Mo (5.0-26.8 m)
Sis-48 <i>including</i> <i>including</i>	0	50.5	50.5	1.418	Ox>>Sulf Zone	East Zone. 92.5 m total depth. Oriented at 90° azimuth and -75° inclination.
	6.0	21.5	15.5	2.398	Oxide Zone	
	11.0	18.5	7.5	3.299	Oxide Zone	
Sis-49 <i>including</i>	0	19.5	19.5	1.149	Oxide Zone	West Zone. 112.5 m total depth. Oriented at 90° azimuth and -60° inclination. Also 2.5 m @214 ppm Mo (9.0-11.5 m). 5.0 m @0.20% Cu (64.5-69.5 m) and 15.9 m @114 ppm Mo (92.0-107.9 m)
	16.5	19.5	3.0	3.165	Oxide Zone	
	92.0	107.9	15.9	0.551	Oxide-Sulf Zone	
Sis-50	2.0	10.1	8.1	0.444	Oxide Zone	South Zone. 132.5 m total depth. Oriented at 270° azimuth and -60° inclination. Also 1.70 m @0.59% Cu (52.6-54.3 m) and 15.7 m @0.15% Cu (59.0-74.7 m).
	28.4	40.7	12.3	0.355	Oxide Zone	
	46.8	54.3	7.5	0.749	Ox>>Sulf Zone	
	59.0	74.7	15.7	0.396	Sulfide Zone	
Sis-51	0	28.6	28.6	0.520	Oxide Zone	East Zone. 70.5 m total depth. Oriented at 225° azimuth and -70° inclination. Total 8.2 m (10.0-26.1 m) solution cavity intervals
Sis-52	No Significant Intervals					East Zone. 112.5 m total depth. Oriented at 90° azimuth and -80° inclination. Also 2.6 m @0.19% Cu (73.7-76.3 m) and 2.2 m @0.17% Cu (90.3-92.5 m).
Sis-53	1.0	9.0	8.0	0.328	Oxide Zone	South Zone. 101.2 m total depth. Oriented at 225° azimuth and -60° inclination. 1 m (4.0-5.0 m) solution cavity. 0.5 m (5.5-6.0 m) solution cavity 2.0 m (6.5 -8.5 m) solution cavity
Sis-54	No Significant Intervals					Alicorumu (North Zone). 125.5 m total depth. Oriented at 45° azimuth and -70° inclination.
Sis-55	68.2	76.25	8.05	0.684	Sulfide >>Oxide Zone	South Zone. 95.3 m total depth. Oriented at 225° azimuth and -60° inclination. Also 12.3 m @0.12% Cu (70.3 -82.6 m).
Sis-56	37.3	48.1	10.8	0.512	Oxide Zone	South Zone. 99.0 m total depth. Oriented at 0° azimuth and -60° inclination.
Sis-58	0	20.8	20.8	0.813	Oxide Zone	West Zone. 260.0 m total depth. Oriented at 225° azimuth and -60° inclination. Also 2.8 m @0.19% Cu (245.4-248.2 m)
	51.6	63.3	11.70	0.451	Oxide Zone	

Significant drill intervals calculated at a nominal 0.300 g/t gold cutoff and minimum length of 7.0 meters, with a maximum of 3.5 meters contiguous dilution. Reported intervals are approximately true thickness.